

**Hypersensitivity pneumonitis: Most frequently recorded industries on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999**

<b>CIC</b>	<b>Industry</b>	<b>Number of Deaths</b>	<b>Percent</b>
011	Agricultural production, livestock	30	24.6
010	Agricultural production, crops	22	18.0
961	Non-paid worker or non-worker or own home/at home	13	10.7
060	Construction	4	3.3
410	Trucking service	4	3.3
831	Hospitals	4	3.3
142	Yarn, thread, and fabric mills	3	2.5
630	Apparel and accessory stores, except shoe	3	2.5
601	Grocery stores	2	1.6
842	Elementary and secondary schools	2	1.6
850	Colleges and universities	2	1.6
942	Military	2	1.6
	All other industries	23	18.9
	Industry not reported	8	6.6
<b>TOTAL</b>		<b>122</b>	<b>100.0</b>

CIC - Census Industry Code

NOTE: The comparable number of hypersensitivity pneumonitis deaths in the entire United States for this same time period was 398. Percentages may not total to 100% due to rounding. See selected limitations for general cautions regarding inferences based on small numbers of deaths, and see appendices for source description, methods, ICD codes, industry and occupation codes, and list of selected states and years.

SOURCE: National Center for Health Statistics multiple cause-of-death data.